



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/387,109

08/31/1999

Matthew J. Adiletta

10559/079001

2177

20985

7590

09/13/2004

FISH & RICHARDSON, PC  
12390 EL CAMINO REAL  
SAN DIEGO, CA 92130-2081

EXAMINER

DILLER, JESSE DAVID

ART UNIT

PAPER NUMBER

2187

DATE MAILED: 09/13/2004

12

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/387,109

Applicant(s)

ADILETTA ET AL.

Examiner

Jesse D Diller

Art Unit

2187

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 31 August 1999.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-4,9-12 and 14-18 is/are rejected.
- 7) ☒ Claim(s) 5-8 and 13 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 August 1999 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☒ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)               | Paper No(s)/Mail Date. _____  |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>## 8-11</u> .   | 6) <input type="checkbox"/> Other: _____                                    |

### **DETAILED ACTION**

1. Claims 1-18 are pending in the application, and have been examined.

#### ***Information Disclosure Statement***

2. The items in the Information Disclosure Statements filed on May 14, 2003, April 26, 2004, August 12, 2004, and August 16, 2004 have been considered. Items in the Information Disclosure Statement filed August 12, 2004 that have been marked through were not considered, because the listing appears to be incorrect, as the identification numbers are invalid or the information indicated does not match the actual documents.

#### ***Oath/Declaration***

3. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

It does not identify the mailing address of each inventor. A mailing address is an address at which an inventor customarily receives his or her mail and may be either a home or business address. The mailing address should include the ZIP Code designation. The mailing address may be provided in an application data sheet or a supplemental oath or declaration. See 37 CFR 1.63(c) and 37 CFR 1.76.

It does not identify the citizenship of each inventor.

Art Unit: 2187

It does not identify the city and either state or foreign country of residence of each inventor. The residence information may be provided on either on an application data sheet or supplemental oath or declaration.

No information is given for inventor Bradley Burres.

### ***Drawings***

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "16c" in Fig. 1 has been used to designate both 'SDRAM' and 'FlashRom.' In addition, reference characters "16a" and "16c" have been used to designate the item labeled 'SDRAM' in Figure 1. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

5. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description:

- 27b, 'TrFifo', and 27c, 'Hash,' Fig. 2. It appears "29b" was meant for 'TrFifo,' in Fig. 2.
- 166, Fig. 4. In accordance with the specification, it appears that "106" was intended.
- 14L, Fig. 5. In accordance with the specification, it appears that "142" was intended.

Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in

Art Unit: 2187

compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application.

6. The drawings are objected to because:

- On page 13, lines 7-9 of the specification, "PC units 72a-72d" are referred to. However, 72c, Fig. 3, does not appear to show a PC, and 72d is not shown.
- Fig. 5A appears to contain multiple errors. The lines in Fig. 5A are obviously misaligned, including a word wrap. This makes understanding of Fig. 5A very difficult.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

7. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant

Art Unit: 2187

will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Specification***

8. The disclosure is objected to because of the following informalities:
- On page 5, line 1, after “functional microengines”, “(microengines)” should be deleted.
  - On page 12, lines 18-20, after “performing,” “a single cycle shift” should be replaced by “a”.
  - Page 24, lines 23-26 is unclear. A suggested changes is “Having issued as many references as early as possible, the goal would be to perform as many computations as possible in the microengines, in parallel with the references.
  - Throughout the specification, the items designated “AMBA” and “Fbox” in the drawings are referred to as “ASB” and “microengine,” respectively.

Throughout the specification, numerous other inconsistencies have been noted. Applicant is encouraged to review the specification and correct any noted errors or inconsistencies.

### ***Claim Objections***

9. Claims 2, 5, 9, 15, and 18 are objected to because of the following informalities:

Art Unit: 2187

- In Claim 2, lines 2-3, "a next memory references" appears to be an error. A suggested correction is, "a next memory reference."
- In Claim 5, line 1, "claim 1" should be replaced by "claim 4."
- In Claim 9, lines 3-4, "reference from one said queues" appears to be an error. It has been taken to mean, "reference from one of the said queues."
- In Claim 15, line 2-3, and claim 18, line 3, reference is made to a chain bit. However, there is no antecedent basis for this limitation. No chain bit was claimed.

Appropriate correction is required.

***Claim Rejections - 35 USC § 112***

10. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

11. Claims 12, 14, and 16 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

12. Claims 12, 14, and 16 recite the limitation "microengine" in lines 4, 2, and 3, respectively. There is insufficient antecedent basis for this limitation in the claim. Claim 1 refers to a "microcontrol functional unit," which limitation is much broader than the limitation "microengine," as defined in the specification.

Because the breadth of what applicant means to claim is unclear, these claims are deemed indefinite. For the purpose of prior art examination, "microengine" has been taken to be synonymous with "microcontrol functional unit."

***Claim Rejections - 35 USC § 103***

13. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

14. Claims 1, 3, 9, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Callemyn, U. S. Patent #5,115,507, in view of Nakagawa, U.S. Patent #5,701,434. Callemyn discloses:

- A controller for a random access memory (Fig. 3) comprising:
- A module that hold memory references (SL, Fig. 1b) from a plurality of microcontrol functional units (DP, GP; also see MA, MB, MC, Fig. 2, and P, MCLP, DCLP, in Fig. 3. These functional units have been taken as reading on "microcontrol functional unit.")
- A first r/w register holding memory references from a computer bus (Fig. 1A shows REG A, holding references DPREQ 1 from a computer bus connecting REG A and processor DP.)
- A second r/w register holding memory references from a core processor, (Fig. 1A shows REG I holding memory request CPUREQ from a core processor CPU.) and
- Control logic (Fig. 1B shows a logic system) including an arbiter (Fig. 2) that looks at a status of the requests (Col. 2, lines 42-45 denotes priority



as a status that determines the selection) and selects a memory reference from one of the registers (Col. 3, lines 30 and 36-38).

15. Callemyn does not disclose expressly that the modules or registers holding memory references are set up as queues, that the queue holding requests from the microcontrol units is an address and command queue, or that the arbiter makes a request selection on the basis of the fullness of the queues, as does the present invention.

16. Nakagawa discloses a random access memory controller (30, Fig. 1) which includes an address and command queue (Fig. 2 shows addresses and data (command) 711, in a single queue, Col. 5, line 42, holding all requests from multiple sources 10 and 20, Fig. 1 (see also Col. 2, line 54-55). He also discloses a queue control circuit 65, Fig. 3, which performs the function of an arbiter. Nakagawa teaches that his queue control circuit makes a selection from the queue based on an indication of the fullness or emptiness of the queue (Col. 5, lines 36-42 teach the fullness test.

17. Callemyn and Nakagawa are analogous art because they are from the same field of endeavor, namely memory request controllers.

18. At the time of the invention it would have been obvious to a person of ordinary skill in the art to store requests in queues. The motivation for doing so is taught by Nakagawa. He notes the conventional use of a FIFO queue for access sequence assurance (Col. 1, lines 48-50). Access sequence assurance ensures that dependant instructions are not scrambled.

Art Unit: 2187

19. At the time of the invention it would also have been obvious to a person of ordinary skill in the art to add the single queue disclosed by Nakagawa to the memory controller disclosed by Callemyn. In Col. 2, lines 1-8, Nakagawa teaches as motivation that a single common queue (instead of multiple queues) reduces the scale of the queue structure, and also eliminates the need to provide dedicated entries in an integral multiple of the number of queues. In Col. 5, lines 62-66 also note that the number of queue entries is reduced, which allows the entire circuit to be made smaller, accommodated on a single LSI. As a result, the wiring length is shortened, which in turn shortens the turnaround delay.

20. Lastly, at the time of the invention it would have been obvious to a person of ordinary skill in the art to add the selection technique disclosed by Nakagawa to the memory controller disclosed by Callemyn. The motivation for checking the fullness of the queue is obvious. If the queue is full, no entries can be added to it, and a selection must be made from that queue before any more commands can be processed by the system. If the queue is empty, no selection can be made and information must be added before another selection can be made. Nakagawa recognizes this, and his arbiter, if the queue is full, sends a signal to the request sources suppressing any further requests. (Col 4, lines 5-9) If the queue entry is empty, he sends a priority signal that ensures that a memory request will be written into the queue.

21. Therefore, it would have been obvious to combine the use of queues, the single queue structure and the fullness checking scheme of Nakagawa with the controller of Callemyn, for the benefit of access sequence assurance and

Art Unit: 2187

reduced complexity, size, and turnaround time, to obtain the invention as specified in claim 1.

22. As for claim 3, Callemyn discloses that his arbitration system includes a register dedicated to high priority tasks (SL.EX, Fig. 2; REG B and D, Fig. 1A show block requests directed to exclusive queues; see also Col. 1, lines 50-55).

23. As for claims 9 and 10, Callemyn discloses a DRAM Controller CT.DRAM in Fig. 3. The limitations of claims 9 and 10 are inherent in a DRAM controller. A random access memory requires certain control signals to function correctly.

Therefore, any memory control system must include means for generating memory control signals that will adequately meet the demands of the memory module. As an example, see Callemyn, US Patent #4,991,112, not to be confused with the primary reference, Callemyn, US Patent #5,115,507. In Fig. 1, Callemyn discloses the same structure as the primary reference. In Fig. 2, Callemyn discloses that his DRAM controller includes an address control module AD.CTRL. In Col. 6, lines 26-38, he teaches that this module is responsive to an address corresponding to the selected request REQS, Fig. 2, and that the module produces an address (lines 35-36), as well as commands to control a memory interface (lines 41-42 disclose memory selection signals; Fig. 2 shows these signals controlling a memory control module MEM CTRL). The memory control module MEM CTRL is responsive to received signals and produces memory control signals.

Art Unit: 2187

24. Claims 2 and 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Callemyn and Nakagawa, further in view of Hansen, U. S. Patent #4,788,640.

25. Regarding claim 2, Callemyn and Nakagawa teach all the limitations of claim 1, as described above. Callemyn additionally teaches that the selection of requests is based on a priority (Col. 2, lines 43-44). He also teaches that the priorities may be programmed (Col. 1, lines 59-60; Col 2, lines 41-43). Fig. 1A shows VAL-REG, which determines the priorities (Col 2, lines 41-43). Callemyn and Nakagawa do not, however, expressly disclose that the programmable request selection command is stored in a priority service control register, as does claim 2.

26. Hansen, US Patent #4,788,640, included in Callemyn by reference (Callemyn, Col. 2, line 25), discloses a memory interface (Fig. 1), which includes a priority logic unit (10, Fig. 1; Col. 3, line 47). The priority logic unit contains registers (41-43, Fig. 2) that store a programmable priority value, which values determine the order of incoming memory requests (Col. 1, lines 47-50).

27. Callemyn, Nakagawa and Hansen are analogous art, because they belong to the same field of endeavor, namely memory controllers which endeavor to decrease the memory access bottleneck in computer systems.

28. At the time of the invention it would have been obvious to a person of ordinary skill in the art to add the programmable priority control register taught by Hansen to the system of Callemyn and Nakagawa described above. The

Art Unit: 2187

motivation for doing so is described by Hansen in Col. 1, lines 50-55, namely, that it increases the flexibility of the system, allowing the system designer to choose the tradeoff between bus latency versus bus speed and performance.

29. Therefore, it would have been obvious to add the priority service control register taught by Hansen to Callemyn and Nakagawa, for the benefit of allowing programmable adjustment of request handling and system design flexibility, to obtain the invention as specified in claim 2.

30. As for claim 14, Callemyn and Nakagawa do not teach the limitation that the arbitration policy favors chained microengine memory references. Hansen teaches, however, that his system operates in a first priority level when processing non-chained memory requests, and shifts to a second level when a chained or block request is detected (Col. 1, lines 45-50). Hansen teaches that by programming the priority levels, uninterruptible block transfers may be accomplished (lines 51-53; see also Col. 5, lines 37-44), meaning that the chained requests are given a higher priority, or are, in the language of claim 14, favored.

31. At the time of the invention it would have been obvious to a person of ordinary skill in the art to add the arbitration policy favoring chained requests as taught by Hansen to the system of Callemyn and Nakagawa described above. The motivation for doing so is described by Hansen in Col. 1, lines 22-27 and 50-55, namely, that block transfers increase the speed of the acquisition rate and improve the bus speed and performance. Therefore, it would have been obvious to add the arbitration policy favoring chained requests as taught by Hansen to

Art Unit: 2187

Callemyn and Nakagawa, for the benefit of increasing bus speed and performance, to obtain the invention as specified in claim 14.

32. As for claim 15, Callemyn and Nakagawa do not teach the limitation that the arbitration policy services chained microengine memory references until a chain bit is cleared. Hansen teaches, however, that by programming the priority levels, uninterruptible block transfers may be accomplished (Col. 1, lines 51-53; see also Col. 5, lines 37-44), meaning that the chained requests are given a higher priority, and are serviced until completion, at which time a chain detection signal (45, Fig. 2) is cleared.

33. At the time of the invention it would have been obvious to a person of ordinary skill in the art to allow chained requests to be serviced until completion. The motivation for doing so is obvious, namely that interrupting a block transfer defeats the purpose of the block transfer. The improvements in speed gained by not interrupting the block transfer is the reason for having a block transfer in the first place. Therefore, it would have been obvious to add the arbitration policy completely servicing chained requests as taught by Hansen to Callemyn and Nakagawa, for the benefit of increasing bus speed and performance, to obtain the invention as specified in claim 14.

34. As for claim 16, Callemyn and Nakagawa do not teach the limitation that the arbitration policy starts by looking for chained microengine memory references. Hansen teaches, however, that his system is activated as soon as block requests are detected (Col. 2, lines 1-3).

Art Unit: 2187

35. At the time of the invention it would have been obvious to a person of ordinary skill in the art to add the arbitration policy favoring chained requests as taught by Hansen to the system of Callemyn and Nakagawa described above. The motivation for doing so is described by Hansen in Col. 1, lines 22-27 and 50-55, namely, that block transfers increase the speed of the acquisition rate and improve the bus speed and performance. Therefore, it would have been obvious to add the arbitration policy favoring chained requests as taught by Hansen to Callemyn and Nakagawa, for the benefit of increasing bus speed and performance, to obtain the invention as specified in claim 16.

36. As for claim 17, Callemyn and Nakagawa do not teach the limitation that the arbitration policy services chained microengine memory references completely. Hansen teaches, however, that by programming the priority levels, uninterruptible block transfers may be accomplished (Col. 1, lines 51-53; see also Col. 5, lines 37-44), meaning that the chained requests are given a higher priority, and are serviced until completion.

37. At the time of the invention it would have been obvious to a person of ordinary skill in the art to allow chained requests to be serviced until completion. The motivation for doing so is obvious, namely that interrupting a block transfer defeats the purpose of the block transfer. Therefore, it would have been obvious to add the arbitration policy completely servicing chained requests as taught by Hansen to Callemyn and Nakagawa, for the benefit of increasing bus speed and performance, to obtain the invention as specified in claim 17.

Art Unit: 2187

38. As for claim 18, Callemyn and Nakagawa do not teach the limitation that when a chain bit is set, the arbitration engine services the same queue again until the chain bit is cleared. Hansen teaches, however, that by programming the priority levels, uninterruptible block transfers may be accomplished (Col. 1, lines 51-53; see also Col. 5, lines 37-44), meaning that the chained requests are given a higher priority, and are serviced until completion. While the chained request indicator (45, Fig. 2) is set, the arbitration engine services the same request source again (Fig. 4b).

39. At the time of the invention it would have been obvious to a person of ordinary skill in the art to service the same request source repetitively, while performing a block transfer. The motivation for doing so is obvious, namely that a block transfer is made up of consecutive requests from the same source. Therefore, it would have been obvious to add the process of repetitively servicing the requesting source during service of chained requests as taught by Hansen to Callemyn and Nakagawa, for the benefit of performing block transfers, to obtain the invention as specified in claim 18.

40. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Callemyn and Nakagawa, further in view of Bratt, U. S. Patent #5,740,402.

41. Callemyn and Nakagawa teach all the limitations of claim 1, as described above. Callemyn and Nakagawa do not expressly teach, however, that the address and command queue comprises an even and odd bank queue, or that a microengine sorts the memory references into odd and even references.



Art Unit: 2187

42. Bratt, US Patent #5,740,402, discloses a memory reference pipeline that handles simultaneous memory references (Col. 2, lines 29-31, 36-37). His apparatus includes:

- a microengine 202, Fig. 2, that sorts memory references into even/odd bank references (Fig. 3 shows microengine 202, Fig. 2; including multiple request sources 300 and 302, and logic 310 to sort references into even/odd references. Fig. 2 shows the output of the microengine going to even/odd pipelines).
- Even and odd bank queues (210, Fig. 2).

43. Callemyn, Nakagawa, and Bratt are analogous art because they are from the same field of endeavor, namely devices that manage memory references to improve the performance of computer systems.

44. At the time of the invention it would have been obvious to a person of ordinary skill in the art to include the even and odd bank queues and reference sorting engine disclosed by Bratt in the combination of Callemyn and Nakagawa as described above. The motivation for doing so is taught by Bratt. In Col. 1, lines 28-40 teach that interleaving memory systems can increase the effective speed of accessing large memory systems (28-31). Col. 1, lines 48-64 teach that interleaving memory allows execution of more than one instruction per cycle, increasing the effective memory bandwidth.

45. Therefore, it would have been obvious to modify the combination of Callemyn and Nakagawa as disclosed above to include the even and odd bank

Art Unit: 2187

queues and sorting microengine disclosed by Bratt, for the benefit of increasing effective memory bandwidth, to obtain the invention as specified in claim 4.

46. Claim 11 is rejected as being unpatentable over Callemyn and Nakagawa, further in view of Byers, U. S. Patent #5,784,712.

47. Callemyn and Nakagawa disclose all the limitations of claim 1, as set forth above. They do not disclose expressly that the control logic is responsive to a chaining bit that when set allows special handling of contiguous memory references.

48. Byers, US Patent #5,784,712, discloses that a memory request may have bits that denote a block or chained memory request (966, Fig. 12 – bits set to '11' denotes autoincrement; Col. 3, lines 46-49 notes that autoincrement is used for block, i.e., contiguous, or chained, requests). Col. 3, lines 38-42 teaches that for chained requests, the processor need not provide an address for each read/write operation.

49. Byers, Callemyn, and Nakagawa are analogous art, because they are from the same field of endeavor, namely memory request handling systems.

50. At the time of the invention it would have been obvious to one skilled in the art to add the chained request bits and special handling disclosed by Byers to the combination of Callemyn and Nakagawa. The motivation for doing so is taught by Byers, in Col. 3, lines 47-66. The special handling may free up the processor or requesting functional unit to do other tasks while the contiguous requests are being handled. Also, since it does not have to issue as many

Art Unit: 2187

addresses to the memory system, the processor may be free to perform other tasks while the chained transfer is being completed.

51. Therefore, it would have been obvious to combine Byers with the combination of Callemyn and Nakagawa, for the benefit of allowing the requesting entity to perform more work, to obtain the invention as specified in claim 11.

***Allowable Subject Matter***

52. Claims 5-8 and 12-13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims, and resolving any 35 USC 112 rejections, as noted in the section above entitled *Claim Rejections – 35 USC § 112*.

Art Unit: 2187

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jesse D Diller whose telephone number is (703) 305-0472. After October 19, the examiner will be able to be reached at the Carlyle, Alexandria campus at (571) 272-4173. The examiner can normally be reached on 8:30AM-5:00PM, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Sparks can presently be reached on (703) 308-1756 or, after October 19, at (571) 272-4201. The fax phone number for the organization where this application or proceeding is currently assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JD

  
HIEP T. NGUYEN  
PRIMARY EXAMINER